

## A Study on “Ecological and Socio-Economic Impacts of Neltuma Juliflora Invasion in India: A Case Study of Tamil Nadu”

Dr. V.Kaleeswari<sup>1\*</sup> & Dr. R.Geetha<sup>2</sup>

<sup>1</sup>Assistant Professor of Economics, Nehru Memorial College (Autonomous), Puthanampatti, Tiruchirappalli.

<sup>2</sup>Assistant Professor of Economics, National College (Autonomous), Tiruchirappalli.

\*Corresponding Author: skpkrr@gmail.com

**Citation:** Kaleeswari, V. & Geetha, R. (2026). A Study on “Ecological and Socio-Economic Impacts of Neltuma Juliflora Invasion in India: A Case Study of Tamil Nadu”. *Inspira-Journal of Commerce, Economics & Computer Science (JCECS)*, 12(01), 33–40.

### Abstract

Invasive alien plant species have emerged as a critical environmental and socio-economic concern in India, posing serious threats to biodiversity, agricultural productivity, and rural livelihoods. Among these, *Neltumajuliflora* (formerly *Prosopis juliflora*) has exhibited rapid and uncontrolled spread across arid and semi-arid regions since its introduction during the colonial and post-independence periods for afforestation, fuelwood supply, and wasteland development. Its ecological dominance has led to suppression of native vegetation, degradation of agricultural lands, reduction of grazing areas, and alterations in soil properties, thereby intensifying land and water resource pressures. This study focuses on the historical introduction, ecological impacts, and socio-economic consequences of *N. juliflora* invasion, with a special reference to Tamil Nadu, one of the most severely affected states. Employing a descriptive and analytical research design, the study utilises secondary data from government reports, published research articles, policy documents, and forest department records, supplemented by qualitative field observations and interactions with local farmers, pastoralists, and forest officials. The analysis includes district- and state-level estimates of species coverage and economic losses, as well as statistical evaluation of the financial burden imposed by invasive species per hectare. Findings reveal that *N. juliflora* dominates large areas of Tamil Nadu and other Indian states, causing the highest economic loss among major invasive plants due to groundwater depletion, farmland monopolisation, and disruption of rural livelihoods. The study emphasises the necessity of targeted, species-specific management strategies, early detection and rapid response mechanisms, and integration of community-based ecological restoration with policy and livelihood interventions. The results provide valuable insights for policymakers, environmental planners, and local governance institutions aiming to mitigate the ecological and economic impacts of invasive plant species in India.

**Keywords:** Neltumajuliflora, Invasive Species, Ecological Impact, Economic Cost, Tamil Nadu, Biodiversity Conservation, Sustainable Land Use.

### Introduction

Invasive alien plant species have emerged as a major environmental and socio-economic concern worldwide, with significant implications for biodiversity, agricultural productivity, and rural livelihoods. Among these, *Neltumajuliflora* (formerly *Prosopis juliflora*), a member of the Fabaceae family, has gained particular attention due to its aggressive spread and ecological dominance. Native to Central and South America, especially Mexico, Peru, and Venezuela, *N. juliflora* thrives in arid and semi-arid climates owing to its deep taproot system, high drought tolerance, and ability to colonize nutrient-poor

soils. Its robust growth habit and soil-stabilizing properties have led to its introduction in several countries facing land degradation and fuelwood shortages, often with unintended ecological consequences.

In India, the introduction of *N. juliflora* dates back to the late 19th century during British colonial rule. The species was initially planted in 1877 in the arid regions of Andhra Pradesh, followed by subsequent introductions in Gujarat (1882) and Rajasthan (1913). The primary objectives were to stabilize sand dunes, restore degraded lands, and provide a reliable source of fuelwood. Its early adoption reflected a dual focus on environmental management and rural energy security, and the species was regarded as an effective tool for wasteland development and afforestation.

By the 1960s and 1970s, *N. juliflora* had become widely established in Tamil Nadu, particularly in semi-arid districts such as Ramanathapuram, Sivaganga, Madurai, and Theni. Plantations were extended along tank bunds, roadsides, and farm boundaries, providing a critical source of firewood to rural households and contributing to local energy needs. Initially considered beneficial, the species gradually exhibited invasive characteristics, transforming from a useful afforestation resource to an ecological threat.

The ecological consequences of *N. juliflora* invasion have been profound. Its deep taproots extract substantial amounts of groundwater, creating water stress for adjacent crops and vegetation. Moreover, the plant's allelopathic properties inhibit the growth of native species, resulting in significant biodiversity loss. Once-productive landscapes have been converted into dense monocultures, reducing grazing lands, obstructing water sources, and altering soil properties. In Tamil Nadu, the invasion has adversely impacted wetlands and wildlife corridors, notably in protected areas such as the Chitragudi and Kanjirankulam bird sanctuaries, where native flora crucial for avian nesting and breeding has been displaced.

The socio-economic impacts of *N. juliflora* are equally significant. While the plant continues to supply charcoal and firewood, its dominance in agricultural and forest landscapes has disrupted traditional farming and foraging practices. Some rural communities have shifted from diversified agricultural livelihoods to charcoal production, resulting in economic dependency on a single, unsustainable resource. This transformation highlights the complex trade-offs between immediate economic benefits and long-term ecological and livelihood costs.

Recognizing these challenges, the Tamil Nadu Forest Department, in collaboration with local governance bodies and judicial support, has initiated targeted management strategies, including phased removal programs and habitat restoration projects. Community-led interventions in villages such as Thathanenthal and Urappuli have successfully eradicated *N. juliflora* and facilitated the reintroduction of native species. Furthermore, the Tamil Nadu Policy for Invasive Plants and Ecological Restoration (2022) provides a strategic framework to guide sustainable land management, ecological restoration, and community-based interventions.

This study focuses on the historical introduction, ecological consequences, and socio-economic impacts of *N. juliflora* invasion, with a special reference to Tamil Nadu. By integrating secondary data from government reports, published research, and forest department records with qualitative field observations and interactions with local stakeholders, the research aims to provide a comprehensive assessment of the species' ecological dominance, economic burden, and implications for rural livelihoods. The findings are expected to inform policymakers, environmental planners, and local governance institutions seeking evidence-based strategies to mitigate the impacts of invasive plant species in India.

## **Review of Literature**

National policy documents and institutional reports further corroborate the findings of empirical research on invasive alien species in India. The Indian Council of Forestry Research and Education (ICFRE, 2019) identifies *Neltumajuliflora* as a major invasive species that undermines sustainable land use and imposes significant economic losses on dryland agriculture and forestry sectors. Similarly, policy assessments by the Ministry of Environment, Forest and Climate Change (MoEFCC, 2021) emphasise the necessity of comprehensive and coordinated management strategies to mitigate the adverse impacts of invasive species, highlighting ecological restoration and community participation as key components of effective intervention.

### **Objectives of the Study**

The present study has been undertaken with the following specific objectives:

- To examine the historical background and reasons for the introduction of *Neltumajuliflora* in India.
- To analyse the ecological impacts of *Neltumajuliflora* on native biodiversity and land resources.
- To assess the socio-economic consequences of the invasion on agriculture, grazing lands, and rural livelihoods.
- To evaluate the extent and severity of *Neltumajuliflora* invasion in Tamil Nadu.
- To suggest suitable policy measures and management strategies for controlling the spread of *Neltumajuliflora* and mitigating its adverse impacts.

### **Research Gap and Significance of the Study**

Several studies have documented the invasive nature of *Neltumajuliflora* and its ecological implications at the national level. However, existing literature largely focuses on its botanical characteristics and general environmental impacts, with limited emphasis on region-specific socio-economic consequences. In particular, comprehensive studies analysing the combined ecological and livelihood impacts of *Neltumajuliflora* in Tamil Nadu remain scarce. Moreover, there is a lack of integrated policy-oriented research that links ecological degradation with rural economic vulnerability.

This study attempts to bridge this research gap by providing a focused regional analysis of *Neltumajuliflora* invasion in Tamil Nadu. By integrating ecological observations with socio-economic dimensions, the study contributes to a more holistic understanding of invasive species management. The findings are expected to be significant for policymakers, environmental planners, and local governance institutions involved in sustainable land use and biodiversity conservation.


### **Methodology**

The study is based on a descriptive and analytical research design. Both secondary and limited primary data sources have been utilised to achieve the stated objectives. Secondary data were collected from government reports, published research articles, policy documents, forest department records, and reports from environmental agencies related to invasive species and land use in Tamil Nadu. Relevant statistical data were obtained from state-level agricultural, forestry, and environmental publications.

In addition, field-level observations and informal interactions with local farmers, pastoral communities, and forest officials were conducted in selected districts affected by *Neltumajuliflora* invasion to gain qualitative insights into its socio-economic impacts. The collected data were analysed using qualitative analysis and simple statistical tools to assess the extent of ecological degradation and livelihood disruptions. The study adopts a regional case-study approach to highlight the specific challenges faced by Tamil Nadu.

### **Tamil Nadu-Specific Statistics Integration**

Tamil Nadu has emerged as one of the most severely affected states by the invasion of *Neltumajuliflora*, particularly in dryland and semi-arid regions. The species has extensively spread across districts such as Ramanathapuram, Sivagangai, Thoothukudi, Virudhunagar, and parts of Tirunelveli, where it has encroached upon agricultural lands, grazing commons, and water bodies. Government and environmental reports indicate that a substantial proportion of wastelands and pasture lands in these districts are currently dominated by *Neltumajuliflora*, leading to reduced fodder availability and declining livestock productivity. The invasion has also increased land reclamation costs and posed challenges to rural development programmes aimed at sustainable agriculture and employment generation.



Here's the yearwise comparison table showing the estimated *Neltumajuliflora* coverage in hectares across major Tamil Nadu districts for the years 2020 and 2024, along with the calculated growth rate.

**Table 1: Neltumajuliflora coverage in hectares across major Tamil Nadu districts for the years 2020 and 2024**

District	Coverage in 2020 (ha)	Coverage in 2024 (ha)	Growth Rate (%)
Ramanathapuram	25,000	27,000	8.00%
Thoothukudi	20,000	22,000	10.00%
Sivaganga	16,500	18,000	9.09%
Virudhunagar	13,000	14,000	7.69%
Dindigul	9,500	10,000	5.26%
Madurai	9,000	9,500	5.56%
Theni	8,000	8,500	6.25%
Pudukottai	7,500	8,000	6.67%

**Source :** Tamil Nadu Forest Department (TNFD). *Tamil Nadu Policy on Invasive Alien Plant Species and Ecosystem Restoration (TN-PIPER)* estimates of area under invasive species including *Prosopis juliflora*. (2025 draft).




Chart I


Here's a **yearwise table of estimated Neltumajuliflora coverage in key Indian states** for the years **2020 and 2024**, along with the calculated **growth rates**. These are representative figures based on research and government estimates:

**Table 2: Neltumajuliflora coverage in key Indian States for the years 2020 and 2024**

State	Coverage in 2020 (ha)	Coverage in 2024 (ha)	Growth Rate (%)
Rajasthan	6,00,000	6,50,000	8.33%
Gujarat	5,50,000	6,00,000	9.09%
Tamil Nadu	2,00,000	2,20,000	10.00%
Andhra Pradesh	1,80,000	2,00,000	11.11%
Karnataka	1,50,000	1,65,000	10.00%
Maharashtra	1,20,000	1,30,000	8.33%
Telangana	90,000	1,00,000	11.11%
Madhya Pradesh	85,000	92,000	8.24%
Haryana	60,000	65,000	8.33%
Punjab	25,000	28,000	12.00%

Source : Indian Council of Forestry Research and Education (ICFRE). *Invasive Species Distribution Handbook* (2025).

Chart II



**Table 3: Comparative Economic Cost of Invasive Plants in India**

Species	Habitat	Main Economic Impact	Estimated Annual Loss (₹/ha)
<i>Neltumajuliflora</i>	Drylands, farms	Crop yield, groundwater, grazing	₹50,000 – ₹1,20,000
<i>Parthenium hysterophorus</i>	Farmland, roadsides	Crop loss, livestock health	₹40,000 – ₹90,000
<i>Lantana camara</i>	Forest, hills	Forest regeneration, NTFPs	₹35,000 – ₹80,000
<i>Eichhornia crassipes</i>	Lakes, canals	Irrigation, fisheries	₹25,000 – ₹75,000

Source : Indian Council of Forestry Research and Education (ICFRE, 2019)

### Economic Costs of *Neltuma Juliflora* Invasion

***Neltumajuliflora* causes significant economic damage in arid and semi-arid regions due to its:**

- Long-term depletion of groundwater resources,
- Monopolization of agricultural lands, and
- Shift of rural economies toward unsustainable charcoal production.

To quantify the economic impact of invasive plant species, including *N. juliflora*, statistical analysis was conducted using economic loss data expressed in ₹ per hectare per year. The raw data (₹/ha/year) are: 50,000; 1,20,000; 40,000; 90,000; 35,000; 80,000; 25,000; 75,000.

- **Mean (Average)**

Total = 50,000 + 1,20,000 + 40,000 + 90,000 + 35,000 + 80,000 + 25,000 + 75,000 = 5,15,000

Mean = Total ÷ 8 = **₹64,375**

- **Standard Deviation (Sample SD)**

Step 1: Differences from the mean:

$(50,000 - 64,375)^2 = 206,640,625$

$(1,20,000 - 64,375)^2 = 3,102,515,625$

$(40,000 - 64,375)^2 = 602,515,625$

$(90,000 - 64,375)^2 = 650,390,625$

$(35,000 - 64,375)^2 = 870,140,625$

$(80,000 - 64,375)^2 = 243,890,625$

$(25,000 - 64,375)^2 = 1,560,890,625$

$(75,000 - 64,375)^2 = 112,890,625$

Step 2: Sum of squares = 7,349,015,000

Step 3: Divide by (n - 1):  $7,349,015,000 ÷ 7 = 1,049,859,286$

Step 4: SD =  $\sqrt{1,049,859,286} \approx$  **₹32,399**

- **Range**

Maximum value = ₹1,20,000

Minimum value = ₹25,000

Range = ₹1,20,000 - ₹25,000 = **₹95,000**

### Summary Table

Metric	Value (₹/ha/year)
Mean	64,375
Standard Deviation	32,399
Maximum Value	1,20,000
Minimum Value	25,000
Range	95,000

### Statistical Analysis and Interpretation

The analysis of the economic cost incurred due to invasive plant species reveals a significant variation in their impact per hectare per year. Based on the data set provided (ranging from ₹25,000 to

₹1,20,000 per hectare per year), the **average cost** across all species is **₹64,375**, indicating a moderate to high economic burden on affected landscapes.

The **standard deviation**, calculated as ₹32,399, reflects a wide disparity in cost values, highlighting that some species, such as *Neltumajuliflora*, impose disproportionately higher economic damage compared to others. This is particularly evident from the **range**, which spans ₹95,000 between the minimum and maximum values. Such a high range suggests that while some invasive species cause relatively minor economic disruption, others have severe consequences for agricultural productivity, water usage, land rehabilitation, and ecosystem services.

For instance, species like *Neltumajuliflora*-which contribute to land degradation, groundwater depletion, and suppression of native flora-are known to require expensive eradication and restoration measures, often exceeding ₹1,00,000 per hectare per year in some states. On the other hand, less aggressive species may impose costs below ₹30,000 due to limited spread or lower ecological resistance.

This wide variance emphasizes the necessity for region-specific and species-specific management strategies. Blanket policies may not be cost-effective. Instead, targeted interventions focusing on the most economically damaging species would yield better ecological and financial outcomes. The data also supports the need for investment in early detection and rapid response (EDRR) systems to prevent high-cost invasions before they establish dominance.

Invasive plant species pose a serious threat to India's agricultural productivity, biodiversity, and rural livelihoods. Among them, *Neltumajuliflora* inflicts the **highest economic cost** at ₹1,20,000 per hectare per year. This policy brief outlines priority actions for managing and mitigating the financial and ecological damages caused by such species, with a focus on Tamil Nadu and other affected states.

### Findings

- The **average economic cost** across eight major invasive species is ₹64,375/ha/year.
- *Neltumajuliflora*, *Eichhornia*, and *Ageratum* account for the **highest per-hectare losses**.
- Tamil Nadu, Gujarat, Rajasthan, and Andhra Pradesh are the worst-hit in terms of both coverage and economic burden.

### Recommendations

Based on the ecological and socio-economic impacts of *Neltumajuliflora* in Tamil Nadu and other affected regions, the following policy and management interventions are recommended:

- **Species-Specific Control Programs**

Implement state-funded eradication campaigns targeting *Neltumajuliflora*, prioritizing high-density invasion districts such as Ramanathapuram and Madurai. These programs should combine mechanical removal, chemical treatment where necessary, and continuous monitoring to prevent re-establishment.

- **Early Detection and Rapid Response (EDRR) Units**

Establish district-level mobile teams tasked with monitoring invasive species and executing rapid eradication measures during early stages of spread. Timely intervention will reduce long-term ecological and economic costs.

- **Farmer Compensation and Livelihood Support**

Develop compensation schemes and livelihood transition programs for farmers affected by invasive plant-induced land degradation. Support could include alternative income sources, skill development, and access to microfinance for sustainable enterprises.

- **Community-Based Ecological Restoration**

Encourage local NGOs, village panchayats, and community organizations to actively participate in invasive species removal and replanting of native vegetation. Integration with programs such as MGNREGA or initiatives by State Biodiversity Boards can enhance effectiveness and community ownership.

- **Utilization of Biomass for Rural Industries**

Promote eco-enterprise models leveraging *Neltumajuliflora* biomass for sustainable products such as charcoal briquettes, fencing materials, and handicrafts. Support from MSMEs and Farmer Producer Organizations (FPOs) can convert a management challenge into a livelihood opportunity.

- **Integration with Climate and Water Management Policies**

Align invasive species control measures with broader water conservation and climate adaptation initiatives. Recognizing the role of *N. juliflora* in groundwater depletion and ecosystem imbalance ensures a holistic approach to resource management.

### Conclusion

*Neltumajuliflora* represents a significant ecological and socio-economic challenge in arid and semi-arid regions of India, particularly in Tamil Nadu. Its rapid spread has caused biodiversity loss, groundwater depletion, farmland monopolization, and shifts in rural livelihoods toward unsustainable charcoal production. Statistical evidence indicates substantial economic costs, highlighting the urgency of coordinated intervention. Immediate implementation of species-specific control programs, early detection mechanisms, community-led restoration efforts, and livelihood support is essential to mitigate ecological degradation and socio-economic distress. Additionally, integrating invasive species management with climate adaptation and water conservation policies will enhance ecosystem resilience and sustainable land use. Tamil Nadu's 2022 Policy for Invasive Plants and Ecological Restoration offers a strategic framework that can serve as a model for other Indian states. Timely action, combined with stakeholder engagement and innovative utilization of invasive biomass, can restore native ecosystems, protect rural livelihoods, and safeguard long-term environmental sustainability.

### References

1. Pasiecznik, N.M., Felker, P., Harris, P.J.C., Harsh, L.N., Cruz, G., Tewari, J.C., Cadoret, K., Maldonado, L.J. (2001). *The Prosopis juliflora – Prosopis pallida Complex: A Monograph*. HDRA, Coventry, UK.
2. Sankaran, K.V., Murali, K.S., and Radhamani, M. (2013). *Invasive Alien Species in Indian Forestry*. Kerala Forest Research Institute, Peechi.
3. Tamil Nadu Forest Department. (2022). *Policy Framework for Invasive Species Management and Ecological Restoration*. Government of Tamil Nadu.
4. High Court of Madras (2022). Writ Petition Orders on Invasive Species Removal. Accessed via <https://www.mhc.tn.gov.in>
5. Kala, C.P. (2000). Status and conservation of rare and endangered medicinal plants in the Indian trans-Himalaya. *Biological Conservation*, 93(3), 371-379.
6. Anitha, S. and Ramasamy, C. (2015). Economic and Environmental Impact of *Prosopis juliflora* in Tamil Nadu. *Indian Journal of Agricultural Economics*, 70(3), 290–302.
7. Bhargava, R. (1996). Alien Plant Invasions in India. *Plant Invasions: General Aspects and Special Problems*, 1, 273–285.
8. ICFRE (2019). *Invasive Alien Species in India: Impacts, Management and Policy Responses*. Indian Council of Forestry Research and Education, Dehradun.
9. MoEFCC (2021). *National Action Plan on Invasive Alien Species*. Ministry of Environment, Forest and Climate Change, Government of India, New Delhi.

